



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

Vessels inspected—Continued.

Sailing vessels from United States ports	0
Foreign ports	0
Domestic ports	19
Total	43
Passengers on arriving boats inspected:	
On steamers, cabin	157
On steamers, steerage	222
On sailing vessels, cabin	1
On sailing vessels, steerage	9
Total	389
Persons vaccinated	23
Crew on arriving steamers inspected	1,090
Crew on arriving sailing vessels inspected	142
Vessels in quarantine	0

TURKEY.

Report from Bagdad—Disappearance of cholera.—Vice-Consul Hürner reports, April 28, that he has received information from the local government, under date of April 21, 1904, to the effect that cholera has entirely disappeared from Bagdad.

Foreign and insular statistical reports of countries and cities—Yearly and monthly.

AFRICA—Lourenço Marquez.—Month of March, 1904. Estimated population, 7,000. Total number of deaths, 62, including 2 from whooping cough.

ARGENTINA—Buenos Ayres.—Month of March, 1904. Estimated population, 903,381. Total number of deaths, 1,045, including diphtheria 3, enteric fever 10, measles 2, scarlet fever 10, smallpox 52, and 172 from tuberculosis.

BAHAMAS—Dunmore Town.—Two weeks ended May 27, 1904. Estimated population, 1,232. Total number of deaths, 2. No deaths from contagious diseases.

Governors Harbor.—Two weeks ended May 14 and 29. Estimated population, 1,500. Total number of deaths not reported. No contagious diseases reported.

Green Turtle Cay Abaco.—Two weeks ended May 27, 1904. Estimated population, 3,314. No deaths and no contagious diseases.

Nassau.—Week ended May 31, 1904. Estimated population, 12,390. No deaths and no contagious diseases reported.

FRANCE—Rouen.—Month of April, 1904. Estimated population, 116,316. Total number of deaths, 278, including enteric fever 1, measles 2, scarlet fever 1, smallpox 4, and 57 from tuberculosis.

St. Etienne.—Two weeks ended May 15, 1904. Estimated population, 146,671. Total number of deaths, 122, including diphtheria 1, scarlet fever 2, and 19 from tuberculosis.

GERMANY—Hanover.—Month of March, 1904. Estimated popula-

tion, 251,640. Total number of deaths, 336, including 13 from infectious diseases.

GREECE—*Athens*.—Three weeks ended May 7, 1904. Estimated population, 200,000. Total number of deaths not reported. Two deaths from enteric fever, 1 death from measles, 1 from scarlet fever, 1 from whooping cough, and 48 deaths from tuberculosis reported.

GREAT BRITAIN—*England and Wales*.—The deaths registered in 76 great towns in England and Wales during the week ended May 21, 1904, correspond to an annual rate of 15.5 per 1,000 of the aggregate population, which is estimated at 15,271,287.

Bradford.—Two weeks ended May 21, 1904. Estimated population, 285,089. Total number of deaths, 187, including diphtheria 6, enteric fever 3, measles 5, whooping cough 2, and 23 from phthisis pulmonalis.

London.—One thousand three hundred and forty-nine deaths were registered during the week, including measles 75, scarlet fever 5, diphtheria 10, whooping cough 39, enteric fever 4, and diarrhea 21. The deaths from all causes correspond to an annual rate of 15.1 per 1,000. In Greater London 1,813 deaths were registered. In the “outer ring” the deaths included 3 from diphtheria, 9 from measles, 1 from scarlet fever, and 6 from whooping cough.

Ireland.—The average annual death rate represented by the deaths registered during the week ended May 21, 1904, in the 21 principal town districts of Ireland was 20.9 per 1,000 of the population, which is estimated at 1,093,289. The lowest rate was recorded in Ballymena, viz, 4.8, and the highest in Armagh, viz, 41.2 per 1,000. In Dublin and suburbs 173 deaths were registered, including diphtheria 1, enteric fever 3, measles 2, scarlet fever 1, whooping cough 5, and 31 from tuberculosis.

Scotland.—The deaths registered in 8 principal towns during the week ended May 21, 1904, correspond to an annual rate of 18.7 per 1,000 of the population, which is estimated at 1,726,236. The lowest rate of mortality was recorded in Leith, viz, 13, and the highest in Greenock, viz, 23.2 per 1,000. The aggregate number of deaths registered from all causes was 619, including diphtheria 2, measles 16, scarlet fever 4, smallpox 2, and 21 from whooping cough.

JAPAN—*Nagasaki*.—Ten days ended May 10, 1904. Estimated population, 154,727. Number of deaths not reported. Eighteen deaths from smallpox reported.

SPAIN—*Barcelona*.—Ten days ended May 20, 1904. Estimated population, 600,000. Total number of deaths, 249, including typhus and enteric fever 3, measles 8, whooping cough 1, smallpox 9, and 31 from tuberculosis.